

# RADIATION SURVEY WORKSHEET

## eXaminer Radiation Survey Information


Airport: <b>Tucson Airport</b>	Scanner Location: <b>Baggage Handling Room</b>	Case#: <b>TUS-C356898</b>
Personnel Performing Radiation Survey: [REDACTED]		Date Survey Performed: <b>3/7/2011</b>
Scanner Serial Number: <b>6224</b>	Entrance Tunnel Serial Number: <b>2169A</b>	Exit Tunnel Serial Number: <b>2169B</b>
High Reading: <b>30</b>	Average Reading: <b>14.17</b>	Min. Reading: <b>7</b>
High Reading: <b>80</b>	Average Reading: <b>29.36</b>	Min. Reading: <b>9</b>
High Reading: <b>191</b>	Average Reading: <b>33.65</b>	Min. Reading: <b>9</b>
<b>Good</b>	<b>Good</b>	<b>Good</b>
Radiation Meter: Type Meter: <b>450P</b>	Meter Serial Number: <b>4465</b>	Calibration Due Date: <b>August 13, 2011</b>

N  
O  
T  
E  
S

<b>Complete Radiation Survey (CRS)</b>	<b>Record Voltage and Beam Current here:</b>					
<b>Rename this Document before starting the Survey to:</b>  <b>TUS-CRS-7MAR2011-6224</b>	<b>Voltage:</b> <u>165</u> KV   <b>Beam Current:</b> <u>10.0</u> mA					
	<b>Maximum Safe Readings</b> <table style="display: inline-table; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; padding: 2px;"><b>Scanner</b></td> <td style="border: 1px solid black; padding: 2px;">350</td> <td style="border: 1px solid black; padding: 2px;"><b>Tunnels</b></td> <td style="border: 1px solid black; padding: 2px;">350</td> <td style="border: 1px solid black; padding: 2px;"><b>Curtains</b></td> <td style="border: 1px solid black; padding: 2px;">350</td> </tr> </table>	<b>Scanner</b>	350	<b>Tunnels</b>	350	<b>Curtains</b>
<b>Scanner</b>	350	<b>Tunnels</b>	350	<b>Curtains</b>	350	

Step:	Procedure	Expected results
1.	Set Up: Obtain Inovision Ion Chamber Survey Meter and in an area away from the scanners, turn on the meter by pressing the On-Off key. Wait approx. 4 minutes for the meter to run through the initialization procedure.	The GUI will be visible and will indicate Standby. After the radiation meter initialization procedure is complete the meter will be reading less than 20 $\mu$ R/hr and the meter will be ready for use.
2.	The scanner will be in Standby. Change the conveyor switch on the scanner to Stop. Change the exit tunnel conveyor switch to Off to stop the conveyor.	Both conveyors should be stopped.
3.	On the GUI dropdown screen, select diagnostic, followed by Radiation Survey. A radiation survey window will appear. Click "Turn On" button to turn x-rays on. Turn on x-rays prompt will say "Place survey bag on belt". Place IQTK bag on Entry Conveyor Belt.	A window indicating "Radiation Survey" will appear.
4.	When "Bag in survey position" appears, go to the FCC monitor and select "2" then <Enter>, verify and record the voltage and current in the displayed on the FCC screen in the planks provided above.	The high voltage is between <b>144KV</b> and <b>176KV</b> . The current is between <b>8.8mA</b> and <b>10.6mA</b> and the scanner X-ray indicator lights are on.
5.	Survey one of the areas indicated by the boxes in Appendix A2. Record the highest reading within the area. Repeat the process until all areas are surveyed and readings are recorded.	As the survey is conducted, the radiation meter indicates the degree of radiation emission.
6.	Review all radiation data sheets for high readings.	Readings shall not exceed 350 uR/hr in any box.
7.	After radiation survey is complete, click on "Start Conveyor" button on the GUI. Click the "Turn Off" button to turn off x-rays. Next click "Done". The IQTK bag will eject from exit tunnel. EDAC will reboot.	IQTK bag is ejected and scanner reboots.
7.	Visually inspect the entrance and exit of the system for X-ray caution hazard signs.	X-ray hazard signs reading "Do not insert any part of the body when system is energized" are posted at entrance and exit of system.
9.	<a href="#">Fill out the eXaminer radiation stickers and place on the eXaminer in accordance with Examiner Technical Bulletin ex253.</a>	Readings shall not exceed 350 uR/hr in any box.

# RADIATION SURVEY WORKSHEET




Top View			
Scattered Radiation Measurement Points Worksheet			No PROBLEM
Record highest reading per panel		μR/Hr	
1	Exit Conveyor Top Panel	9	
2	Exit Conveyor Top Panel	11	
3	Exit Conveyor Top Panel	14	
4	Scanner Conveyor Top Panel	19	
5	Scanner Conveyor Top Panel	17	
6	Scanner Conveyor Top Panel	7	
7	Entrance Conveyor Top Panel	9	
8	Entrance Conveyor Top Panel	14	
9	Entrance Conveyor Top Panel	11	

GOOD

Highest Reading	19
Average Reading	12
Lowest Reading	7

# RADIATION SURVEY WORKSHEET




SYSTEM - SIDE PROFILE VIEW (Opposite AC Side)		
Scattered Radiation Measurement Points Worksheet		
	Record highest reading per panel	μR/Hr
1	Entrance Conveyor Panel	33
2	Entrance Conveyor Panel	18
3	Entrance Conveyor Panel	39
4	Entrance Conveyor Panel	25
5	Entrance Conveyor / Scanner Panel	33
6	Upper Scanner Panel	13
7	Middle Scanner Panel	10
8	Lower Scanner Panel	9
9	Upper Scanner Panel	14
10	Middle Scanner Panel	18
11	Lower Scanner Panel	8
12	Exit Conveyor / Scanner Panel	30
13	Exit Conveyor Panel	25
14	Exit Conveyor Panel	19
15	Exit Conveyor Panel	20
16	Exit Conveyor Panel	11

GOOD

Highest Reading	39
Average Reading	20
Low Reading	8

# RADIATION SURVEY WORKSHEET




SYSTEM - SIDE PROFILE VIEW ( AC Side)		
Scattered Radiation Measurement Points Worksheet		
Record highest reading per panel		μR/Hr
1	Exit Conveyor Panel	28
2	Exit Conveyor Panel	29
3	Exit Conveyor Panel	17
4	Exit Conveyor Panel	16
5	Exit Conveyor / Scanner Panel	22
6	Upper Scanner Pane	15
7	Middle Scanner Panel	8
8	Lower Scanner Panel	9
9	Upper Scanner Panel	19
10	Middle Scanner Panel	12
11	Lower Scanner Panel	22
12	Entrance Conveyor / Scanner Panel	29
13	Entrance Conveyor Panel	23
14	Entrance Conveyor Panel	20

GOOD


Highest Reading	29
Average Reading	19
Low Reading	8

# RADIATION SURVEY WORKSHEET

## SYSTEM - FACES (End Views)



eXaminer entrance



eXaminer exit

SYSTEM - FACES (End Views)		
Scattered Radiation Measurement Points Worksheet		
Record highest reading per panel		$\mu\text{R}/\text{Hr}$
1	Scanner Panel	13
2	Scanner Top Panel	12
3	Scanner Panel	9
4	Belt Entrance	80
5	Entrance Lower Panel	21
6	Belt Lower Facia Cover Entrance	28
7	Scanner Panel	13
8	Scanner Top Panel	12
9	Scanner Panel	16
10	Belt Exit	191
11	Exit Lower Panel	20
12	Belt Lower Facia Cover Exit	35

GOOD

Highest Reading	191
Average Reading	38
Low Reading	9